

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
CeB2: Celina-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 0.39	Very limited Restricted permeability Depth to saturated zone	1.00 0.19	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.39 0.13
CrA: Crosby-----	90	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Restricted permeability Depth to saturated zone	1.00 1.00
CrB: Crosby-----	60	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.13
Celina-----	30	Very limited Restricted permeability Depth to saturated zone	1.00 0.39	Very limited Restricted permeability Depth to saturated zone	1.00 0.19	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.39 0.13
CtB: Crosby-----	55	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Restricted permeability Depth to saturated zone Slope Content of large stones	1.00 1.00 0.01 0.01
Miami-----	40	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.01
EdF: Eden-----	100	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Content of large stones Slope	1.00 1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Content of large stones	0.42	Content of large stones	0.42	Restricted permeability Depth to bedrock	0.96 0.42
EoA: Eldean-----	90	Not limited		Not limited		Not limited	
EoB2: Eldean-----	90	Not limited		Not limited		Somewhat limited Slope	0.50

EoC2: Eldean-----	90	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
EoD2: Eldean-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
ExB3: Eldean-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
ExC3: Eldean-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
FcA: Fincastle-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94	Very limited Depth to saturated zone	1.00
Ge: Genesee-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Hb: Haplaquepts-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00
HeF: Hennepin-----	100	Very limited Slope Restricted permeability	1.00 0.49	Very limited Slope Restricted permeability	1.00 0.49	Very limited Slope Restricted permeability Gravel content	1.00 0.49 0.04
Hu: Houghton-----	100	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00	Very limited Depth to saturated zone Content of organic matter	1.00 1.00
LbB2: Losantville-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone Slope	0.77 0.50
LbC2: Losantville-----	90	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.77 0.04	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.43 0.04	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.77
LbD2: Losantville-----	90	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.77	Very limited Restricted permeability Slope Depth to saturated zone	1.00 1.00 0.43	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.77
LcC3: Losantville-----	90	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.77 0.04	Very limited Restricted permeability Depth to saturated zone Slope	1.00 0.43 0.04	Very limited Slope Restricted permeability Depth to saturated zone	1.00 1.00 0.77
LcD3: Losantville-----	90	Very limited Restricted	1.00	Very limited Restricted	1.00	Very limited Slope	1.00

LeB2: Losantville-----	90		permeability Slope	1.00	permeability Slope	1.00	Restricted permeability	1.00
			Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone	0.77
		Very limited		Very limited		Very limited		
		Restricted permeability	1.00	Restricted permeability	1.00	Restricted permeability		1.00
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Depth to saturated zone Slope	0.77	0.50
LxC3: Losantville-----	90	Very limited		Very limited		Very limited		
		Restricted permeability	1.00	Restricted permeability	1.00	Slope		1.00
		Depth to saturated zone	0.77	Depth to saturated zone	0.43	Restricted permeability		1.00
		Slope	0.04	Slope	0.04	Depth to saturated zone		0.77
Ma: Mahalasville-----	100	Very limited		Very limited		Very limited		
Table REC-1.--Recreation--Continued								

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	1.00	Depth to saturated zone	1.00	Depth to saturated zone	1.00
MnB2: Miami-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.50
MnC2: Miami-----	90	Very limited Restricted permeability Slope	1.00 0.04	Very limited Restricted permeability Slope	1.00 0.04	Very limited Slope Restricted permeability	1.00 1.00
MnD2: Miami-----	90	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
MnE: Miami-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
MnF: Miami-----	100	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
MrA: Miami-----	90	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21
MrB2: Miami-----	90	Somewhat limited Restricted permeability	0.21	Somewhat limited Restricted permeability	0.21	Somewhat limited Slope Restricted permeability	0.50 0.21
MrC2: Miami-----	90	Somewhat limited Restricted permeability Slope	0.21 0.04	Somewhat limited Restricted permeability Slope	0.21 0.04	Very limited Slope Restricted permeability	1.00 0.21
Ms: Millsdale-----	100	Very limited Depth to	1.00	Very limited Depth to	1.00	Very limited Depth to	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MwB2: Miami-----	50	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.50
Crosby-----	45	Very limited Restricted permeability Depth to saturated zone	1.00 1.00	Very limited Restricted permeability Depth to saturated zone	1.00 0.94	Very limited Restricted permeability Depth to saturated zone Slope	1.00 1.00 0.50
MxB2: Miami-----	30	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability Slope Content of large stones	0.96 0.50 0.01
Crosby-----	25	Very limited Depth to saturated zone Restricted permeability	1.00 0.96	Somewhat limited Restricted permeability Depth to saturated zone	0.96 0.94	Very limited Depth to saturated zone Restricted permeability Slope Content of large stones	1.00 0.96 0.13 0.01
Losantville-----	20	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability Slope	1.00 0.50
OcA: Ockley-----	90	Not limited		Not limited		Not limited	
OcB2: Ockley-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
Or: Orthents-----	90	Very limited Slope Restricted permeability	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00
Pr: Pits-----	100	Not rated		Not rated		Not rated	
Rc: Ragsdale-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
RhA: Randolph-----	90	Very limited Depth to saturated zone Restricted permeability	1.00 0.21	Somewhat limited Depth to saturated zone Restricted permeability	0.94 0.21	Very limited Depth to saturated zone Restricted permeability	1.00 0.21
RkA:							

Reesville-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94	Very limited Depth to saturated zone	1.00
		Restricted permeability	0.21	Restricted permeability	0.21	Restricted permeability	0.21
RmD: Rodman-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Gravel content	0.44	Gravel content	0.44	Gravel content	1.00
RmF: Rodman-----	100	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Gravel content	0.44	Gravel content	0.44	Gravel content	1.00
RsB2: Russell-----	76	Not limited		Not limited		Somewhat limited Slope	0.50
RsC2: Russell-----	100	Somewhat limited Slope	0.04	Somewhat limited Slope	0.04	Very limited Slope	1.00
Sh: Shoals-----	90	Very limited Flooding	1.00	Somewhat limited Depth to saturated zone	0.94	Very limited Flooding	1.00
		Depth to saturated zone	1.00	Flooding	0.40	Depth to saturated zone	1.00
Sk: Sleeth-----	90	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.94	Very limited Depth to saturated zone	1.00
Sn: Sloan-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Flooding	1.00	Flooding	0.40	Flooding	1.00
St: Stonelick-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
SuB3: Strawn-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
		Depth to saturated zone	0.98	Depth to saturated zone	0.75	Depth to saturated zone Slope	0.98 0.50
SuC3: Strawn-----	90	Very limited Restricted permeability	1.00	Very limited Restricted permeability	1.00	Very limited Slope	1.00
		Depth to saturated zone Slope	0.98 0.04	Depth to saturated zone Slope	0.75 0.04	Restricted permeability Depth to saturated zone	1.00 0.98
SuD3: Strawn-----	90	Very limited Restricted permeability Slope	1.00 1.00	Very limited Restricted permeability Slope	1.00 1.00	Very limited Slope Restricted permeability	1.00 1.00
Tr: Treaty-----	100	Very limited Depth to saturated zone Restricted permeability	1.00 0.21	Very limited Depth to saturated zone Restricted permeability	1.00 0.21	Very limited Depth to saturated zone Restricted permeability	1.00 0.21
Ts: Treaty-----	100	Very limited Depth to saturated zone Restricted	1.00 0.21	Very limited Depth to saturated zone Restricted	1.00 0.21	Very limited Depth to saturated zone Restricted	1.00 0.21

		permeability		permeability		permeability	
UmB:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	
UmC:							
Urban Land-----	65	Not rated		Not rated		Not rated	
Miami-----	35	Not rated		Not rated		Not rated	
UoA:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
UoB:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Miami-----	30	Not rated		Not rated		Not rated	
Us:							
Urban Land-----	70	Not rated		Not rated		Not rated	
Millsdale-----	30	Not rated		Not rated		Not rated	
Wa:							
Water-----	100	Not rated		Not rated		Not rated	
Wc:							
Water-----	100	Not rated		Not rated		Not rated	
We:							
Westland-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
WyB2:							
Wynn-----	90	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability	0.96	Somewhat limited Restricted permeability Slope Depth to bedrock	0.96 0.50 0.42
WyC2:							
Wynn-----	90	Somewhat limited Restricted permeability Slope	0.96 0.04	Somewhat limited Restricted permeability Slope	0.96 0.04	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.42
WyD2:							
Wynn-----	90	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability	1.00 0.96	Very limited Slope Restricted permeability Depth to bedrock	1.00 0.96 0.42
XeB2:							
Xenia-----	95	Somewhat limited		Somewhat limited		Somewhat limited	

		Depth to	0.98	Depth to	0.75	Depth to	0.98
		saturated zone		saturated zone		saturated zone	
						Slope	0.55

Table REC-1.--Recreation--Continued

Map symbol and soil name	Pct. of map unit						